

## Publikationen Gynäkopathologie

Kaserer K, Kainz C, Reinthaller A, Amann G, Beer F, Breitenecker G.  
[Sarcoma botryoides (embryonal rhabdomyosarcoma) as an unusual diagnosis of cervix polyps] Pathologe. 1995 Jul;16(4):287-91.

Langer S, Singer CF, Hudelist G, Dampier B, Kaserer K, Vinatzer U, Pehamberger H, Zielinski C, Kubista E, Schreiber M. Jun and Fos family protein expression in human breast cancer: correlation of protein expression and clinicopathological parameters. Eur J Gynaecol Oncol. 2006;27(4):345-52.

Hudelist G, Singer CF, Pischinger KI, Kaserer K, Manavi M, Kubista E, Czerwenka KF. Proteomic analysis in human breast cancer: Identification of a characteristic protein expression profile of malignant breast epithelium. Proteomics. 2006 Mar;6(6):1989-2002.

Vinatzer U, Dampier B, Streubel B, Pacher M, Seewald MJ, Stratowa C, Kaserer K, Schreiber M. Expression of HER2 and the coamplified genes GRB7 and MLN64 in human breast cancer: quantitative real-time reverse transcription-PCR as a diagnostic alternative to immunohistochemistry and fluorescence in situ hybridization. Clin Cancer Res. 2005 Dec 1;11(23):8348-57.

Schmid BC, Rudas M, Fabjani G, Speiser P, Kaserer K, Leodolter S, Zeillinger R. Evaluation of MUC1 splice variants as prognostic markers in patients with ductal carcinoma in situ of the breast. Oncol Rep. 2003 Nov-Dec;10(6):1981-5.

## Publikationen Gastroenteropathologie

Kaserer K, Sedivy R, Mosberger I, Kummer A, Wrba F, Penner E.  
[Characterization of inflammatory infiltrates in autoimmune cholangitis: an immunohistochemical study] Verh Dtsch Ges Pathol. 1996;80:272-5. German.

Kaserer K, Exner M, Mosberger I, Penner E, Wrba F. Characterization of the inflammatory infiltrate in autoimmune cholangitis. A morphological and immunhistochemical study. Virchows Arch. 1998 Mar; 432(3):217-22.

Kaserer K, Fiedler R, Steindl P, Muller CH, Wrba F, Ferenci P. Liver biopsy is a useful predictor of response to interferon therapy in chronic hepatitis C. Histopathology. 1998 May;32(5):454-61.

Kaserer K, Schmaus J, Bethge U, Migschitz B, Fasching S, Walch A, Herbst F, Teleky B, Wrba F. Staining patterns of p53 immunohistochemistry and their biological significance in colorectal cancer. J Pathol. 2000 Mar;190(4):450-6.

Richter M, Jurek D, Wrba F, Kaserer K, Wurzer G, Karner-Hanusch J, Marian B. Cells obtained from colorectal microadenomas mirror early premalignant growth patterns in vitro. Eur J Cancer. 2002 Sep;38(14):1937-45.

Cejna M, Peck-Radosavljevic M, Schoder M, Thurnher S, Ba-Salamah A, Angermayr B, Kaserer K, Pokrajac B, Lammer J. Repeat interventions for maintenance of transjugular intrahepatic portosystemic shunt function in patients with Budd-Chiari syndrome. J Vasc Interv Radiol. 2002 Feb;13(2 Pt 1):193-9.

Li S, Peck-Radosavljevic M, Koller E, Koller F, Kaserer K, Kreil A, Kapiotis S, Hamwi A, Weich HA, Valent P, Angelberger P, Dudczak R, Virgolini I. Characterization of (123)I-vascular endothelial growth factor-binding sites expressed on human tumour cells: possible implication for tumour scintigraphy. Int J Cancer. 2001 Mar 15;91(6):789-96.

Sheinin Y, Kaserer K, Wrba F, Wenzl E, Kriwanek S, Peterlik M, Cross HS. In situ mRNA hybridization analysis and immunolocalization of the vitamin D receptor in normal and carcinomatous human colonic mucosa: relation to epidermal growth factor receptor expression. *Virchows Arch.* 2000 Nov;437(5):501-7.

Veloso M, Wrba F, Kaserer K, Heinze G, Magalhaes A, Herbst F, Teleky B. p53 gene status and expression of p53, mdm2, and p21Waf1/Cip1 proteins in colorectal cancer. *Virchows Arch.* 2000 Sep;437(3):241-7.

Dejaco C, Ferenci P, Schober E, Kaserer K, Fugger R, Novacek G, Gangl A. Stenosis of the common bile duct due to Ormond's disease: case report and review of the literature. *J Hepatol.* 1999 Jul;31(1):156-9. Review.

Cejna M, Thurnher S, Pidlich J, Kaserer K, Schoder M, Lammer J. Primary implantation of polyester-covered stent-grafts for transjugular intrahepatic portosystemic stent shunts (TIPSS): A pilot study. *Cardiovasc Intervent Radiol.* 1999 Jul-Aug;22(4):305-10.

Berlakovich GA, Rockenschaub S, Taucher S, Kaserer K, Muhlbacher F, Steiniger R. Underlying disease as a predictor for rejection after liver transplantation. *Arch Surg.* 1998 Feb;133(2):167-72.

Kurtaran A, Muller C, Novacek G, Kaserer K, Mentes M, Raderer M, Pidlich J, Eibenberger K, Angelberger P, Virgolini I. Distinction between hepatic focal nodular hyperplasia and malignant liver lesions using technetium-99m-galactosyl-neoglycoalbumin. *J Nucl Med.* 1997 Dec;38(12):1912-5.

Cauza E, Maier-Dobersberger T, Polli C, Kaserer K, Kramer L, Ferenci P. Screening for Wilson's disease in patients with liver diseases by serum ceruloplasmin. *J Hepatol.* 1997 Aug;27(2):358-62.

Maier-Dobersberger T, Ferenci P, Polli C, Balac P, Dienes HP, Kaserer K, Datz C, Vogel W, Gangl A. Detection of the His1069Gln mutation in Wilson disease by rapid polymerase chain reaction. *Ann Intern Med.* 1997 Jul 1;127(1):21-6.

Kazemi-Shirazi L, Datz C, Maier-Dobersberger T, Kaserer K, Hackl F, Polli C, Steindl PE, Penner E, Ferenci P. The relation of iron status and hemochromatosis gene mutations in patients with chronic hepatitis C. *Gastroenterology.* 1999 Jan;116(1):127-34.

Maier-Dobersberger T, Mannhalter C, Rack S, Granditsch G, Kaserer K, Korninger L, Steindl P, Gangl A, Ferenci P. Diagnosis of Wilson's disease in an asymptomatic sibling by DNA linkage analysis. *Gastroenterology.* 1995 Dec;109(6):2015-8.

## Publikationen Endokrinopathologie

Kaserer K, Scheuba C, Neuhold N, Weinhausel A, Vierhapper H, Haas OA, Niederle B. C-cell hyperplasia and medullary thyroid carcinoma in patients routinely screened for serum calcitonin. *Am J Surg Pathol.* 1998 Jun;22(6):722-8.

Kaserer K, Scheuba C, Neuhold N, Weinhausel A, Haas OA, Vierhapper H, Niederle B. Sporadic versus familial medullary thyroid microcarcinoma: a histopathologic study of 50 consecutive patients. *Am J Surg Pathol.* 2001 Oct; 25 (10): 1245 - 51.

Kaserer K, Scheuba C, Neuhold N, Weinhausel A, Vierhapper H, Niederle B. Recommendations for reporting C cell pathology of the thyroid. *Wien Klin Wochenschr.* 2002 Apr 15;114(7):274-8.

Kaserer K, Knezevic V, Pichlhofer B, Scheuba C, Passler C, Worth J, Niederle B, Krizman D. Construction of cDNA libraries from microdissected benign and malignant thyroid tissue. *Lab Invest.* 2002 Dec; 8(12): 1707 - 14.

Kaserer K. [Pathologic-anatomic diagnosis of endocrine neoplasms: new trends and applications] *Wien Klin Wochenschr.* 2003;115 Suppl 2:6-9. Review. German.

Koperek O, Prinz A, Scheuba C, Niederle B, Kaserer K. Tenascin C in medullary thyroid microcarcinoma and C-cell hyperplasia. *Virchows Arch.* 2009 Jul; 455 (1): 43-8. Epub 2009 May 30.

Asari R, Koperek O, Scheuba C, Riss P, Kaserer K, Hoffmann M, Niederle B. – Follicular thyroid carcinoma in an iodine-replete endemic goiter region: a prospectively collected, retrospectively analyzed clinical trial. *Ann Surg.* 2009 Jun; 249(6): 1023 - 31.

Alinger B, Kiesslich T, Datz C, Aberger F, Strasser F, Berr F, Dietze O, Kaserer K, Hauser-Kronberger C. Hedgehog – Signaling is involved in differentiation of normal colonic tissue rather than in tumor proliferation. *Virchows Arch.* 2009 Apr;454(4):369-79. Epub 2009 Mar 12.

Anlauf M, Bauersfeld J, Raffel A, Koch CA, Henopp T, Alkatout I, Schmitt A, Weber A, Kruse ML, Braunstein S, Kaserer K, Brauckhoff M, Dralle H, Moch H, Heitz PU, Komminoth P, Knoefel WT, Perren A, Klöppel G. – Insulinomatosis: a multicentric insulinoma disease that frequently causes early recurrent hyperinsulinemic hypoglycemia. *Am J Surg Pathol.* 2009 Mar; 33 (3): 339 - 46.

Scheuba C, Kaserer K, Moritz A, Drosten R, Vierhapper H, Bieglmayer C, Haas OA, Niederle B. – Sporadic hypercalcitoninemia: clinical and therapeutic consequences. *Endocr Relat Cancer.* 2009 Mar;16 (1): 243 - 53. Epub 2008 Nov 5.

Schueller-Weidekamm C, Schueller G, Kaserer K, Scheuba C, Ringl H, Weber M, Czerny C, Herneth AM. – Diagnostic value of sonography, ultrasound-guided fine-needle aspiration cytology, and diffusion-weighted MRI in the characterization of cold thyroid nodules. *Eur J Radiol.* 2009 Feb 3. [Epub ahead of print]

Schueller-Weidekamm C, Kaserer K, Schueller G, Scheuba C, Ringl H, Weber M, Czerny C, Herneth AM. – Can quantitative diffusion-weighted MR imaging differentiate benign and malignant cold thyroid nodules? Initial results in 25 patients. *AJNR Am J Neuroradiol.* 2009 Feb; 30 (2): 417 - 22. Epub 2008 Oct 22.

Fiebiger W, Kaserer K, Rodler S, Oberbauer R, Bauer C, Raderer M. – Neuroendocrine carcinomas arising in solid-organ transplant recipients: rare but aggressive malignancies. *Oncology.* 2009; 77 (5): 314 - 7. Epub 2009 Nov 20.

Weinhaeusel A, Scheuba C, Lauss M, Kriegner A, Kaserer K, Vierlinger K, Haas OA, Niederle B. – The influence of gender, age, and RET polymorphisms on C-cell hyperplasia and medullary thyroid carcinoma. *Thyroid.* 2008 Dec;18 (12): 1269 - 76.

Koperek O, Scheuba C, Cherenko M, Neuhold N, De Micco C, Schmid KW, Niederle B, Kaserer K. Desmoplasia in medullary thyroid carcinoma: a reliable indicator of metastatic potential. *Histopathology.* 2008 Apr; 52 (5): 623 - 30.

Scheuba C, Kaserer K, Bieglmayer C, Asari R, Riss P, Drosten R, Niederle B. – Medullary thyroid microcarcinoma recommendations for treatment - a single-center experience. *Surgery.* 2007 Dec;142(6):1003-10; discussion 1010.e1-3. Erratum in: *Surgery.* 2008 Feb; 143 (2): 303.

Lauss M, Vierlinger K, Weinhaeusel A, Szameit S, Kaserer K, Noehammer C. Comparison of RNA amplification techniques meeting the demands for the expression profiling of clinical cancer samples. *Virchows Arch.* 2007 Dec; 451 (6): 1019 - 29. Epub 2007 Oct 31.

Koperek O, Scheuba C, Puri C, Birner P, Haslinger C, Rettig W, Niederle B, Kaserer K, Garin Chesa P. Molecular characterization of the desmoplastic tumor stroma in medullary thyroid carcinoma. *Int J Oncol.* 2007 Jul;31(1):59-67.

Scheuba C, Bieglmayer C, Asari R, Kaczirek K, Izay B, Kaserer K, Niederle B. The value of intraoperative pentagastrin testing in medullary thyroid cancer. *Surgery.* 2007 Feb;141(2):166-71; discussion 171-2.

Borchhardt KA, Heinzl H, Gessl A, Horl WH, Kaserer K, Sunder-Plassmann G. Calcitonin concentrations in patients with chronic kidney disease and medullary thyroid carcinoma or c-cell hyperplasia. *Kidney Int.* 2006 Dec;70(11):2014-20. Epub 2006 Oct 18.

Scheuba C, Kaserer K, Kaczirek K, Asari R, Niederle B. Desmoplastic stromal reaction in medullary thyroid cancer-an intraoperative "marker" for lymph node metastases. *World J Surg.* 2006 May;30(5):853-9.

Vierhapper H, Rondot S, Schulze E, Wagner L, Hanslik S, Niederle B, Bieglmayer C, Kaserer K, Baumgartner-Parzer S. Primary hyperparathyroidism as the leading symptom in a patient with a Y791F RET mutation. *Thyroid*. 2005 Nov;15(11):1303-8.

Vierhapper H, Niederle B, Bieglmayer C, Kaserer K, Baumgartner-Parzer S. Early diagnosis and curative therapy of medullary thyroid carcinoma by routine measurement of serum calcitonin in patients with thyroid disorders. *Thyroid*. 2005 Nov;15(11):1267-72.

Baumgartner-Parzer SM, Lang R, Wagner L, Heinze G, Niederle B, Kaserer K, Waldhausl W, Vierhapper H. Polymorphisms in exon 13 and intron 14 of the RET protooncogene: genetic modifiers of medullary thyroid carcinoma? *J Clin Endocrinol Metab*. 2005 Nov;90(11):6232-6. Epub 2005 Aug 23.

Passler C, Scheuba C, Asari R, Kaczirek K, Kaserer K, Niederle B. Importance of tumour size in papillary and follicular thyroid cancer. *Br J Surg*. 2005 Feb;92(2):184-9.

Czerny C, Hormann M, Kienast O, Kaserer K, Niederle B, Kainberger F. [Imaging of the parathyroid gland] *Wien Klin Wochenschr*. 2003;115 Suppl 2:75-8. Review. German.

Passler C, Scheuba C, Prager G, Kaczirek K, Kaserer K, Zettinig G, Niederle B. Prognostic factors of papillary and follicular thyroid cancer: differences in an iodine-replete endemic goiter region. *Endocr Relat Cancer*. 2004 Mar;11(1):131-9.

Karanikas G, Moameni A, Poetzi C, Zettinig G, Kaserer K, Bieglmayer C, Niederle B, Dudczak R, Pirich C. Frequency and relevance of elevated calcitonin levels in patients with neoplastic and nonneoplastic thyroid disease and in healthy subjects. *J Clin Endocrinol Metab*. 2004 Feb;89(2):515-9.

Passler C, Prager G, Scheuba C, Niederle BE, Kaserer K, Zettinig G, Niederle B. Follicular variant of papillary thyroid carcinoma: a long-term follow-up. *Arch Surg*. 2003 Dec;138(12):1362-6.

Rauhofer U, Prager G, Hormann M, Auer H, Kaserer K, Niederle B. Cystic echinococcosis of the thyroid gland in children and adults. *Thyroid*. 2003 May;13(5):497-502. Review.

Kaczirek K, Soleiman A, Schindl M, Passler C, Scheuba C, Prager G, Kaserer K, Niederle B. Nesidioblastosis in adults: a challenging cause of organic hyperinsulinism. *Eur J Clin Invest*. 2003 Jun;33(6):488-92.

Passler C, Prager G, Scheuba C, Kaserer K, Zettinig G, Niederle B. Application of staging systems for differentiated thyroid carcinoma in an endemic goiter region with iodine substitution. *Ann Surg*. 2003 Feb;237(2):227-34.

Kaczirek K, Prager G, Schindl M, Kaserer K, Gessl A, Vierhapper H, Niederle B. Multiple endocrine neoplasia 1--current recommendations for diagnosis and treatment. *Wien Klin Wochenschr*. 2002 Apr 15;114(7):258-66.

Weinhausel A, Kaserer K, Vierhapper H, Niederle B, Haas OA; Study Group of Multiple Endocrine Neoplasia Austria. Multiple endocrine neoplasia type 1 (MEN1) in Austria. *Wien Klin Wochenschr*. 2002 Apr 15;114(7):252-7.

Zettinig G, Prager G, Kurtaran A, Kaserer K, Czerny C, Dudczak R, Niederle B. [Value of a structured report for the interpretation of parathyroid scintigraphy in primary essential hyperthyroidism] *Acta Med Austriaca*. 2002;29(2):68-71.

Schindl M, Kaczirek K, Passler C, Kaserer K, Prager G, Scheuba C, Raderer M, Niederle B. Treatment of small intestinal neuroendocrine tumors: is an extended multimodal approach justified? *World J Surg*. 2002 Aug;26(8):976-84. Epub 2002 May 21.

Zettinig G, Kurtaran A, Prager G, Kaserer K, Dudczak R, Niederle B. 'Suppressed' double adenoma--a rare pitfall in minimally invasive parathyroidectomy. *Horm Res*. 2002;57(1-2):57-60.

Pourani J, Kaserer K, Pfragner R. Cytogenetic and molecular analyses of multiple endocrine neoplasias of the MEN1 syndrome. *Int J Oncol.* 2002 May;20(5):971-6.

Zettinig G, Fueger BJ, Passler C, Kaserer K, Pirich C, Dudczak R, Niederle B. Long-term follow-up of patients with bone metastases from differentiated thyroid carcinoma -- surgery or conventional therapy? *Clin Endocrinol (Oxf).* 2002 Mar;56(3):377-82.

Honigschnabl S, Gallo S, Niederle B, Prager G, Kaserer K, Lechner G, Heinz-Peer G. How accurate is MR imaging in characterisation of adrenal masses: update of a long-term study. *Eur J Radiol.* 2002 Feb;41(2):113-22.

Neuhold N, Kaiser H, Kaserer K. Latent carcinoma of the thyroid in Austria: a systematic autopsy study. *Endocr Pathol.* 2001 Spring;12(1):23-31.

Zettinig G, Leitha T, Niederle B, Kaserer K, Becherer A, Kletter K, Dudczak R. FDG positron emission tomographic, radioiodine, and MIBI imaging in a patient with poorly differentiated insular thyroid carcinoma. *Clin Nucl Med.* 2001 Jul;26(7):599-601.

Kurtaran A, Becherer A, Pfeffel F, Muller C, Traub T, Schmaljohann J, Kaserer K, Raderer M, Schima W, Dudczak R, Kletter K, Virgolini I.

18F-fluorodeoxyglucose (FDG)-PET features of focal nodular hyperplasia (FNH) of the liver. *Liver.* 2000 Dec;20(6):487-90.

Schindl M, Kaserer K, Niederle B. Treatment of gastric neuroendocrine tumors: the necessity of a type-adapted treatment. *Arch Surg.* 2001 Jan;136(1):49-54.

Schindl M, Kaczirek K, Kaserer K, Niederle B. Is the new classification of neuroendocrine pancreatic tumors of clinical help? *World J Surg.* 2000 Nov;24(11):1312-8.

Raber W, Kaserer K, Niederle B, Vierhapper H. Risk factors for malignancy of thyroid nodules initially identified as follicular neoplasia by fine-needle aspiration: results of a prospective study of one hundred twenty patients. *Thyroid.* 2000 Aug;10(8):709-12.

Zettinig G, Kaserer K, Passler C, Flores JA, Niederle B, Dudczak R. Advanced insular thyroid carcinoma in a fourteen-year-old girl: twenty-four years of follow-up. *Thyroid.* 2000 May;10(5):435-7.

Scheuba C, Kaserer K, Kotzmann H, Bieglmayer C, Niederle B, Vierhapper H. Prevalence of C-cell hyperplasia in patients with normal basal and pentagastrin-stimulated calcitonin. *Thyroid.* 2000 May;10(5):413-6.

Wagner L, Oliyarnyk O, Gartner W, Nowotny P, Groeger M, Kaserer K, Waldhausl W, Pasternack MS. Cloning and expression of secretagogin, a novel neuroendocrine- and pancreatic islet of Langerhans-specific Ca<sup>2+</sup>-binding protein. *J Biol Chem.* 2000 Aug 11;275(32):24740-51.

Hallwirth U, Flores J, Kaserer K, Niederle B. Differentiated thyroid cancer in children and adolescents: the importance of adequate surgery and review of literature. *Eur J Pediatr Surg.* 1999 Dec;9(6):359-63.

Scheuba C, Kaserer K, Weinhausl A, Pandev R, Kaider A, Passler C, Prager G, Vierhapper H, Haas OA, Niederle B. Is medullary thyroid cancer predictable? A prospective study of 86 patients with abnormal pentagastrin tests. *Surgery.* 1999 Dec;126(6):1089-95; discussion 1096.

Smith-Jones PM, Bischof C, Leimer M, Gludovacz D, Angelberger P, Pangerl T, Peck-Radosavljevic M, Hamilton G, Kaserer K, Kofler A, Schlangbauer-Wadl H, Traub T, Virgolini I. DOTA-Ianreotide: a novel somatostatin analog for tumor diagnosis and therapy. *Endocrinology.* 1999 Nov;140(11):5136-48.

Kotzmann H, Schmidt A, Scheuba C, Kaserer K, Watschinger B, Soregi G, Niederle B, Vierhapper H. Basal calcitonin levels and the response to pentagastrin stimulation in patients after kidney transplantation or on chronic hemodialysis as indicators of medullary carcinoma. *Thyroid.* 1999 Sep;9(9):943-7.

Passler C, Scheuba C, Prager G, Kaserer K, Flores JA, Vierhapper H, Niederle B. Anaplastic (undifferentiated) thyroid carcinoma (ATC). A retrospective analysis. *Langenbecks Arch Surg*. 1999 Jun;384(3):284-93.

Heinz-Peer G, Honigschnabl S, Schneider B, Niederle B, Kaserer K, Lechner G. Characterization of adrenal masses using MR imaging with histopathologic correlation. *AJR Am J Roentgenol*. 1999 Jul;173(1):15-22.

Sigl E, Behmel A, Henn T, Wirnsberger G, Weinhausl A, Kaserer K, Niederle B, Pfragner R. Cytogenetic and CGH studies of four neuroendocrine tumors and tumor-derived cell lines of a patient with multiple endocrine neoplasia type 1. *Int J Oncol*. 1999 Jul;15(1):41-51.

Passler C, Prager M, Scheuba C, Kaserer K, Flores JA, Vierhapper H, Niederle B. [The value of fine-needle aspiration biopsy (FNAB) in the differential diagnosis of the "cold" thyroid nodule] *Wien Klin Wochenschr*. 1999 Mar 26;111(6):240-5. German.

Kurtaran A, Scheuba C, Kaserer K, Schima W, Czerny C, Angelberger P, Niederle B, Virgolini I. Indium-111-DTPA-D-Phe-1-octreotide and technetium-99m-(V)-dimercaptosuccinic acid scanning in the preoperative staging of medullary thyroid carcinoma. *J Nucl Med*. 1998 Nov;39(11):1907-9.

Virgolini I, Kurtaran A, Leimer M, Kaserer K, Peck-Radosavljevic M, Angelberger P, Hubsch P, Dvorak M, Valent P, Niederle B. Location of a VIPoma by iodine-123-vasoactive intestinal peptide scintigraphy. *J Nucl Med*. 1998 Sep;39(9):1575-9.

Kurtaran A, Pangerl T, Scheuba C, Schima W, Schober E, Kaserer K, Teleky B, Virgolini I. Visualization of intestinal splenosis by somatostatin receptor scintigraphy. *Am J Gastroenterol*. 1998 Aug;93(8):1375-6. Review.

Sedivy R, Gollackner B, Casati B, Mittlbock M, Kaserer K, Steininger R, Wrba F. Apoptotic hepatocytes in rejection and vascular occlusion in liver allograft specimens. *Histopathology*. 1998 Jun;32(6):503-7.

Schindl M, Niederle B, Hafner M, Teleky B, Langle F, Kaserer K, Schofl R. Stage-dependent therapy of rectal carcinoid tumors. *World J Surg*. 1998 Jun;22(6):628-33; discussion 634.

Wagner L, Templ E, Reining G, Base W, Weissel M, Nowotny P, Kaserer K, Waldhausen W. Culture of human insulinoma cells: development of a neuroendocrine tumor cell- and human pancreatic islet cell-specific monoclonal antibody. *J Endocrinol*. 1998 Mar;156(3):469-76.

Virgolini I, Leimer M, Handmaker H, Lastoria S, Bischof C, Muto P, Pangerl T, Gludovacz D, Peck-Radosavljevic M, Lister-James J, Hamilton G, Kaserer K, Valent P, Dean R. Somatostatin receptor subtype specificity and in vivo binding of a novel tumor tracer, 99mTc-P829. *Cancer Res*. 1998 May 1;58(9):1850-9.

Kurtaran A, Raderer M, Muller C, Prokesch R, Kaserer K, Eibenberger K, Koperna K, Niederle B, Virgolini I. Vasoactive intestinal peptide and somatostatin receptor scintigraphy for differential diagnosis of hepatic carcinoid metastasis. *J Nucl Med*. 1997 Jun;38(6):880-1.

Vierhapper H, Raber W, Bieglmayer C, Kaserer K, Weinhausl A, Niederle B. Routine measurement of plasma calcitonin in nodular thyroid diseases. *J Clin Endocrinol Metab*. 1997 May;82(5):1589-93.

Raber W, Kmen E, Kaserer K, Waldhausen W, Vierhapper H. [The "cold" nodule of the thyroid gland: 20 years experience with 2,071 patients and diagnostic limits of fine needle biopsy] *Wien Klin Wochenschr*. 1997 Feb 28;109(4):116-22. German.

Staudenherz A, Abela C, Niederle B, Steiner E, Helbich T, Puig S, Kaserer K, Becherer A, Leitha T, Kletter K. Comparison and histopathological correlation of three parathyroid imaging methods in a population with a high prevalence of concomitant thyroid diseases. *Eur J Nucl Med*. 1997 Feb;24(2):143-9.

Virgolini I, Angelberger P, Li S, Yang Q, Kurtaran A, Raderer M, Neuhold N, Kaserer K, Leimer M, Peck-Radosavljevic M, Scheithauer W, Niederle B, Eichler HG, Valent P. In vitro and in vivo studies of three radiolabelled somatostatin analogues: 123I-octreotide (OCT), 123I-Tyr-3-OCT and 111In-DTPA-D-Phe-1-OCT. *Eur J Nucl Med*. 1996 Oct;23(10):1388-99.

Virgolini I, Raderer M, Kurtaran A, Angelberger P, Yang Q, Radosavljevic M, Leimer M, Kaserer K, Li SR, Kornek G, Hubsch P, Niederle B, Pidlich J, Scheithauer W, Valent P. 123I-vasoactive intestinal peptide (VIP) receptor scanning: update of imaging results in patients with adenocarcinomas and endocrine tumors of the gastrointestinal tract. Nucl Med Biol. 1996 Aug;23(6):685-92.

Kurtaran A, Leimer M, Kaserer K, Yang Q, Angelberger P, Niederle B, Virgolini I. Combined use of 111In-DTPA-D-Phe-1-octreotide (OCT) and 123I-vasoactive intestinal peptide (VIP) in the localization diagnosis of medullary thyroid carcinoma (MTC). Nucl Med Biol. 1996 May;23(4):503-7.

Schenk T, Kaserer K, Scheithauer W. [Extrapulmonary small-cell carcinoma--a rarity?] Dtsch Med Wochenschr. 1994 Nov 18;119(46):1591-6. Review. German.

Langle F, Soliman T, Neuhold N, Widhalm G, Niederle B, Roka S, Kaserer K, Blauensteiner W, Dam K, Clodi M, et al. CD15 (LeuM1) immunoreactivity: prognostic factor for sporadic and hereditary medullary thyroid cancer? Study Group on Multiple Endocrine Neoplasia of Austria. World J Surg. 1994 Jul-Aug;18(4):583-7.

Chott A, Kaserer K, Augustin I, Vesely M, Heinz R, Oehlinger W, Hanak H, Radaszkiewicz T. Ki-1-positive large cell lymphoma. A clinicopathologic study of 41 cases. Am J Surg Pathol. 1990 May;14(5):439-48.